



RootZone	Full	REFILL	Previous	Current	Deficit	Probe Dwu	Pdww Date	EDWU	Date	Amount
0-20 cm	76 mm	57 mm	63 mm	61 mm	15 mm	2.9 mm/day	20 Jan	2.9 mm/day	20 01 18:38	19 mm





RootZone	Full	REFILL	Previous	Current	Deficit	Probe Dwu	Pdwu Date	EDWU	Date	Amount
0-20 cm	76 mm	57 mm	59 mm	59 mm	17 mm	2.5 mm/day	20 Jan	2.5 mm/day	20 01 10:5	19 mm





RootZone	Full	REFILL	Previous	Current	Deficit	Probe Dwu	Pdww Date	EDWU	Date	Amount
0-30 cm	111 mm	86 mm	92 mm	84 mm	27 mm	3.7 mm/day	19 Jan	3.4 mm/day	19 01 13:22	25 mm





SITE NAME	RAINFALL (mm)	IRRIGATION (mm)	DAILY WATER USE (mm/day)	RECOMMENDATIONS
Microfarm Block 3 Navy Beans	3	20	2.9	20/1 20mm 26/1 20mm
Microfarm Block 4 Navy Beans	3	20	2.9	20/1 20mm 26/1 20mm
Microfarm Block 5 Sweetcron	3	20	3.4	ASAP 20mm 24/1 20mm